


**When selecting fonts and logos be advised the minimum line thickness is .010".  
Fonts and designs that do not meet this requirement may be changed or eliminated.**

Item #: TL21

Web Link: <http://berlekamp.com/products/bag-tags/>



**When selecting fonts and logos be advised  
the minimum line thickness is .010".  
Fonts and designs that do not meet this  
requirement may be changed or eliminated.**

Item #: TL31


Web Link: <http://berlekamp.com/products/bag-tags/>



**When selecting fonts and logos be advised the minimum line thickness is .010".  
Fonts and designs that do not meet this requirement may be changed or eliminated.**

Item #: TL41

Web Link: <http://berlekamp.com/products/bag-tags/>





**When selecting fonts and logos be advised  
the minimum line thickness is .010".**

**Fonts and designs that do not meet this  
requirement may be changed or eliminated.**

Item #: TL51

Web Link: <http://berlekamp.com/products/bag-tags/>



**When selecting fonts and logos be advised  
the minimum line thickness is .010".**

**Fonts and designs that do not meet this  
requirement may be changed or eliminated.**

Item #: TL62

Web Link: <http://berlekamp.com/products/bag-tags/>




Diagram of a bag tag with a form for contact information. The tag is a dark gray rectangle with a black border and a black handle on the right side. The form consists of four horizontal input fields with labels to their left: Name: [input field], Address: [input field], City, ST, Zip: [input field], and Phone: [input field].

**When selecting fonts and logos be advised  
the minimum line thickness is .010".**

**Fonts and designs that do not meet this  
requirement may be changed or eliminated.**

Item #: TL71

Web Link: <http://berlekamp.com/products/bag-tags/>

